EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		S25 and "707".CLASS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 11:13
		S7 and (member with collect$)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/12 12:24
L1	1	("20050234986").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/11/16 13:46
L2	1	1 and property	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/16 13:46
L3	1	1 and (property with bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/16 13:46
L4	1	("6904454").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/11/16 13:48
L5	1	4 and bit	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/16 13:50
L6	1	("5634123").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/11/16 14:25
L7	1	L6 and (data with structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/16 14:25
L8	1	(US-5634123-$).did.	USPAT	OR	OFF	2008/11/16 14:25

L9	1	L8 and (table or column or row)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/16 14:25
L10	1	("20050234986").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/11/16 14:25
L11	1	L10 and (member with collect$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/16 14:25
L12	3305	serializ$ with object	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/16 14:25
L13	11934	707/101.CCLS. 707/100.CCLS. 707/103R.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/11/16 14:25
L14	513	L13 and (container or collection) and fragment	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/16 14:25
L15	294	L14 and @ad<"20040409"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/16 14:25
L16	20	L15 and (serializ$ with object)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/16 14:25
S1	1	("5634123").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/02/02 11:56
S2	1	("20040220946").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/01/26 18:43
S3	1	("6012067").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 13:37

S4	0	("6904454b2").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/01/26 18:50
S5	1	("6904454").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/01/26 18:51
S6	1	("6631130").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/01/26 18:51
S7	1	("20050234986").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/02/02 13:04
S8	1	S7 and (single with binar$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/02 11:57
S9	1	("5634123").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/02/02 12:07
S10	1	S9 and single	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/02 12:08
S11	1	S9 and (data with structure)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/02 12:08
S12	1	S7 and plac$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/02 13:05
S13	1	S7 and object	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/02 13:40
S14	1	S7 and member	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/02 13:41

S15	1	S7 and (member with collect$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/02 13:43
S16	1	S7 and identif$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/02 13:44
S17	0	S7 and (identif$4 with start$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/02 13:45
S18	1	S7 and (identif$4 with collect$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/02 13:45
S19	1	("6904454").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/02/02 14:20
S20	1	S19 and order$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/02 14:21
S21	1	("20020073232").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 13:38
S22	1	("6012067").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/03/28 14:21
S23	1	("20050234986").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/03/28 14:21
S24	1	S23 and collection	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/03/28 14:21
S25	1792	binary with fragment	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 11:13

S26	48	S25 and payload	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 11:11
S27	59	S25 and "707".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 11:13
S28	28	S27 and collection	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 11:15
S29	6	seriliz$ with object	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 11:15
S30	2758	serializ$ with object	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 11:15
S31	289	S30 and fragment	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 11:15
S32	113	S31 and "707".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 11:16
S33	94	S32 and collection	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 12:07
S34	52	primitive with data with member	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 12:07
S35	4	primitive with data with member with integer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 12:09
S36	1	("5634123").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/14 12:30

S37	9654	707/101.CCLS. 707/100.CCLS. 707/103R.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/14 12:32
S38	9654	707/101.CCLS. 707/100.CCLS. 707/103R.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/14 12:32
S39	403	S38 and (container or collection) and fragment	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 12:33
S40	268	S39 and @ad<"20040409"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 12:35
S41	15	S40 and (serializ$ with object)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 12:53
S42	3	S41 and primitive	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 12:35
S43	22	S40 and (primitive with type)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 12:44
S44	4	S40 and (primitive with type with (integer or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 12:53
S45	0	S41 and (primitive with type with (integer or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 12:53
S46	1	("5634123").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/16 16:13
S47	9654	707/101.CCLS. 707/100.CCLS. 707/103R.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/16 16:13

S48	403	S47 and (container or collection) and fragment	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/16 16:13
S49	268	S48 and @ad<"20040409"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/16 16:13
S50	1	("20050234986").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/12/12 13:37
S51	1	S50 and (computer with readable)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/12/12 12:26
S52	1	S50 and (carrier or wave or signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/12 12:26
S53	0	S50 and (comunication)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/12 12:26
S54	0	S50 and (communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/12 12:26
S55	1	S50 and (storage with format)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/12/12 13:37
S56	442	binary near2 fragment	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/14 18:59
S57	1	(binary near2 fragment) with header	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/14 19:00
S58	0	("20050234986and (computerwithreadable")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/03/14 19:02

S59	1	("20050234986").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/03/14 19:02
S60	1	S59 and (computer with readable with medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/14 19:02
S61	1	S59 and (computer near2 readable near2 medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/14 19:04
S62	1	S59 and primitive	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/14 19:06
S63	1	S59 and (signal or carrier or waver or paper)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/14 19:35
S64	1	("20050234986").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/03/15 19:37
S65	1	S64 and (record with format)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/15 19:38
S66	1	S64 and (storage with engine with record with format)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/15 19:39
S67	1	(US-5634123-$).did.	USPAT	OR	OFF	2008/03/15 19:45
S68	1	S64 and (table or column or row)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/15 19:46
S69	1	S67 and (table or column or row)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/15 19:46

S70	0	S67 and (collection with start with fragment)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/15 21:06
S71	1	S64 and (collection with start with fragment)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/15 21:06
S72	1	S64 and (collection near1 start near1 fragment)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/15 21:07
S73	1	S64 and member	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/15 23:25
S74	1	S64 and (member with collection)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/15 23:26
S75	1	("20050234986").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/03/17 09:47
S76	1	S75 and (computer with readable with medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/03/17 09:47
S77	1	("20050234986").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/03/17 14:56
S78	1	("20050234986").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/11/15 11:05
S79	0	S78 and (computer$readable adj medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/15 11:06
S80	0	S78 and (computer$readable)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/11/15 11:06

11/16/2008 2:26:07 PM
C:\Documents and Settings\gcolan\My Documents\EAST\Workspaces\case10821687.wsp